



IN THE CLAIMS

Kindly amend the claims to read as follows.

1. (original): A dye mixture comprising a reactive dye having at least one structural unit of formula




together with a reactive dye of formula



wherein

$(Q_1)_{0-3}$ and $(Q_2)_{0-3}$ each independently of the other denote from 0 to 3 identical or different substituents selected from the group halogen, C_1 - C_4 alkyl, C_1 - C_4 alkoxy, carboxy and sulfo, Z_1 and Z_2 are each independently of the other a fibre-reactive radical, at least one fibre-reactive radical being contained in the dye of formula (1) and the dye of formula (2) containing at least one fibre-reactive radical Z_1 or Z_2 .

2. (original): A dye mixture according to claim 1, wherein the reactive dye having at least one structural unit of formula (1) corresponds to a dye of formula




wherein


D₁, D₂ and D₃ are each independently of the others the radical of a diazo component of the benzene or naphthalene series, wherein at least one of the radicals D₁, D₂ and D₃ contains a fibre-reactive radical.

3. (currently amended): A dye mixture according to claim 1 ~~or claim 2~~, wherein

D₁, D₂ and D₃ each independently of the others correspond to a radical of formula (5) or (6)



or



wherein

K is the radical of a coupling component of formula (7a) or (7b)




or



and

Z₃ and Z₄ are each independently of the other a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f)



wherein

R_{1a} and R₂ are hydrogen,

Hal is bromine,

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

T₁ is C₁-C₄alkoxy, C₁-C₄alkylthio, hydroxy, amino, N-mono- or N,N-di-C₁-C₄alkylamino unsubstituted or substituted in the alkyl moiety or moieties by hydroxy, sulfato or by sulfo, morpholino, or phenylamino or N-C₁-C₄alkyl-N-phenylamino (wherein the alkyl is unsubstituted or substituted by hydroxy, sulfo or by sulfato) each unsubstituted or substituted in the phenyl ring by sulfo, carboxy, acetamino, chlorine, methyl or by methoxy, or naphthylamino unsubstituted or substituted by from 1 to 3 sulfo groups, or is a fibre-reactive radical of formula (4b'), (4c') or (4d')



or



and Y is as defined above,

X₁ is chlorine or fluorine,



m and l are each independently of the other the number 2 or 3,


(R₄)₀₋₃ and (Q₃)₀₋₃ each independently of the other denote from 0 to 3 identical or different substituents selected from the group halogen, C₁-C₄alkyl, C₁-C₄alkoxy, carboxy and sulfo,

R'₅ is hydrogen, sulfo or C₁-C₄alkoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato, and


R'_{5a} is hydrogen, C₁-C₄alkyl, C₁-C₄alkoxy, C₂-C₄alkanoylamino, ureido or a radical of formula (3f) wherein the radicals R_{1a}, T₁ and X₁ are as defined above.

4. (currently amended): A dye mixture according to ~~any one of claims 1 to 3~~ claim 1, wherein the radicals D₁, D₂ and D₃ each independently of the others correspond to a radical of formula (5a), (5b), (5c), (5d), (5e) or (6a)





or



wherein

R'_5 is hydrogen, sulfo or ethoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato,

R'_{5a} is hydrogen, methyl, ethyl, methoxy, ethoxy, acetylamino, propionylamino or ureido,


$(Q_3)_{0-2}$ denotes from 0 to 2 identical or different substituents selected from the group C_1 - C_4 alkyl, C_1 - C_4 alkoxy and sulfo,

Y_1 is a group $-CH(Br)-CH_2-Br$ or $-C(Br)=CH_2$,

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl, and

m is the number 2 or 3.

5. (currently amended): A dye mixture according to ~~any one of claims 1 to 4~~ claim 1, wherein the reactive dye of formula (2) is a dye of formula



wherein

(Q₁)₀₋₂ and (Q₂)₀₋₂ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C₁-C₄alkyl, C₁-C₄alkoxy and sulfo, and

Z₁ and Z₂ are as defined in claim 1.

6. (currently amended): A dye mixture according to claim 5, wherein

Z₁ and Z₂ are each independently of the other a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f)



or



wherein

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

Hal is bromine,


R₂ and R_{1a} are hydrogen,

l and m are each independently of the other the number 2 or 3,

X₁ is fluorine or chlorine,

T₁ is C₁-C₄alkoxy, C₁-C₄alkylthio, hydroxy, amino, N-mono- or N,N-di-C₁-C₄alkylamino unsubstituted or substituted in the alkyl moiety or moieties by hydroxy, sulfato or by sulfo, morpholino, or phenylamino or N-C₁-C₄alkyl-N-phenylamino (wherein the alkyl is unsubstituted or substituted by hydroxy, sulfo or by sulfato) each unsubstituted or substituted in the phenyl ring by sulfo, carboxy, acetylamino,

chlorine, methyl or by methoxy, or naphthylamino unsubstituted or substituted by from 1 to 3 sulfo groups, or T₁ is a fibre-reactive radical of formula (4a'), (4b'), (4c'), (4d') or (4f')



or




wherein


Y is as defined above, and

Y₁ is a group -CH(Br)-CH₂-Br or -C(Br)=CH₂.

7. (currently amended): A dye mixture according to claim 1 ~~any one of claims 1 to 6~~, comprising a dye of formula



together with a dye of formula




wherein

D₁, D₂ and D₃ are each independently of the others a radical of formula (5a), (5b) or (6a)



or



wherein

R'₅ is hydrogen, sulfo or ethoxy unsubstituted or substituted in the alkyl moiety by hydroxy or by sulfato,

R'_{5a} is hydrogen, methyl, ethyl, methoxy, ethoxy, acetylamino, propionylamino or ureido,

(Q₁)₀₋₂, (Q₂)₀₋₂ and (Q₃)₀₋₂ each independently of the other denote from 0 to 2 identical or different substituents selected from the group C₁-C₄alkyl, C₁-C₄alkoxy and sulfo,

Y is vinyl or beta-sulfatoethyl, and

Z₁ and Z₂ are each independently of the other a radical of formula (3a), (3b), (3c), (3d), (3e) or (3f)





or



wherein

Y is vinyl, beta-chloroethyl or beta-sulfatoethyl,

Hal is bromine,

R_{1a} and R₂ are hydrogen,

l and m are each independently of the other the number 2 or 3,

X₁ is fluorine or chlorine, and

T₁ is a fibre-reactive radical of formula (4b'), (4c') or (4d')




or



wherein

Y is as defined above.

8. (currently amended): A dye mixture according to claim 1 ~~any one of claims 1 to 7~~, which additionally comprises a dye of formula



wherein

R_6 and R_7 are each independently of the other hydrogen or C_1 - C_4 alkyl, and

D_6 and D_7 are each independently of the other the radical of a diazo component of the benzene or naphthalene series.

9. (currently amended): ~~Use of a dye mixture according to any one of claims 1 to 8 in the dyeing or printing~~ A method of dyeing or printing a substrate with a dye mixture according to claim 1 comprising applying a tinctorially effective amount of the dye mixture to the said substrate wherein the substrate is a ~~of-hydroxyl-group-containing or nitrogen-containing fibre materials.~~

10. (currently amended): ~~Use~~ A method according to claim 9, wherein ~~cellulosic fibre materials, especially cotton-containing fibre materials, are dyed or printed~~ the substrate is a cellulosic fibre material.

11. (original): An aqueous ink comprising a dye mixture according to claim 1.

12. (currently amended): ~~Use of an aqueous ink according to claim 11 in an inkjet printing method for the printing~~ A method for ink jet printing comprising applying a tinctorially effective amount of an aqueous ink containing a dye mixture according to claim 11 to a substrate wherein the substrate is a ~~of-hydroxyl-group-containing or nitrogen-containing fibre materials.~~

13. (new): A method according to claim 10, wherein the substrate is a cotton fibre material.